

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	6	("6078595" "6105150" "6134676" "6233610" "6308163" "6366945").pn.	USPAT	OR	ON	2005/05/03 15:39
S2	28	("4835674" "5261044" "5303375" "5369756" "5455932" "5448722" "5504670" "5544168" "5590056" "5661668" "5682328" "5592620" "5682530" "5740357" "5742762" "5748882" "5748880" "5784627" "5751964" "5758071" "5768552" "5838907" "5838918" "5845061" "5892937" "5901136" "5905715" "5930476").pn.	USPAT	OR	ON	2005/05/03 08:42
S3	12	("5948108" "5999179" "6000045" "6012152" "6014715" "6023763" "6041109" "6049600" "6049827" "6006016" "6054987" "6067545").pn.	USPAT	OR	ON	2005/05/03 08:15
S4	4	("6427146" "6460070" "6715097" "6708291").pn.	USPAT	OR	ON	2005/05/03 08:13
S5	405	kidder.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:43
S6	15	S5 and joseph	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:49
S7	358	((configur\$5 or upgrad\$4 or modifi\$3)near4 ((event or fault or error or messag\$3)adj3 (polic\$3 or database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:23
S8	324	S7 and (manag\$4 nera5 respons\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:20
S9	110	S7 same (manag\$4 nera5 respons\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:54

S10	0	S7 same ((different or alter\$4 or other or exclus\$4)near5 (default near2 respons\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:55
S11	0	S7 and ((different or alter\$4 or other or exclus\$4)near5 (default near2 respons\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:55
S12	8	S7 and ((default near2 respons\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 08:55
S13	254	S7 and (manag\$4 nera5 (default near3 respons\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:21
S14	104	S13 and (configurable recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:21
S15	70	S7 same (manag\$4 nera5 (default near3 respons\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:21
S16	49	S15 and (configurable recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:51
S17	0	S15 and (configurable near2 recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:51

S18	1	S7 and (configurable near2 recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:52
S19	43	(configurable near5 (event or fault or error or failure))with (policy or database or db)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:35
S20	41	(Lack near3 memory)near3 (fault or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:33
S21	21	S20 and (configurable with (policy or database or db))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 09:55
S22	1142	((configurable or program\$5 or upgrad\$4) near5 (event or fault or error or failure))with (policy or database or db)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 10:36
S23	1	"6363411".pn.	USPAT	OR	ON	2005/05/03 10:51
S24	4	("6321334" "6298039" "6671699" "6601186").pn.	USPAT	OR	ON	2005/05/03 10:58
S25	60	((configurable or programmable or adjustable or upgradable)near5 (policy or database))with (event or fault or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:03
S26	53	S25 and (manag\$5 near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:00
S27	5	S25 same (manag\$5 near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:03

S28	25	((configurable or programmable or adjustable or upgradable)near5 (policy or database))with (fault or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:03
S29	0	S28 same (manag\$5 near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:03
S30	23	S28 and (manag\$5 near2 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:29
S31	586	(creat\$4 or generat\$4)near3 ((fault or event)near3 (database or polic\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:32
S32	0	S31 same (default near3 respons\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:31
S33	6	S31 and (default near3 respons\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:31
S34	0	(creat\$4 or generat\$4 or configur\$4 or upgrad\$4)near3 ((fault or event)near3 (respos\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:33
S35	0	(creat\$4 or generat\$4 or configur\$4 or upgrad\$4)near5 ((fault or event)near3 (respos\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:33

S36	1	(creat\$4 or generat\$4 or configur\$4 or upgrad\$4)same ((fault or event)near3 (respos\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:58
S37	6	("4972453" "5293556" "5384822" "5521958" "5528660" "5533093").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/03 11:36
S38	1596	(configur\$4 or upgrad\$4)same ((fault or event or knowledge)near3 (based or respos\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 11:59
S39	738	(configur\$4 or upgrad\$4)with ((fault or event or knowledge)near3 (based or respos\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:00
S40	0	S39 same (default near3 polic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:00
S41	7	S39 and (default near3 polic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:03
S42	13	S38 and (default near3 polic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:06
S43	5889	((fault or error or event)with (knowledge or rule\$1 or database or polic\$3))with (upgrad\$4 or configur\$5 or alter\$4 or modif\$5 or updat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:10
S44	1765	((fault or error or event)with (knowledge or rule\$1 or database or polic\$3))near4 (upgrad\$4 or configur\$5 or alter\$4 or modif\$5 or updat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:12

S45	524	((default)near5 (knowledge or rule\$1 or database or polic\$3))near4 (upgrad\$4 or configur\$5 or alter\$4 or modif\$5 or updat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:12
S46	410	((default)near3 (knowledge or rule\$1 or database or polic\$3))near4 (upgrad\$4 or configur\$5 or alter\$4 or modif\$5 or updat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:12
S47	563	((default)near3 (knowledge or rule\$1 or database or polic\$3))with (upgrad\$4 or configur\$5 or alter\$4 or modif\$5 or updat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:12
S48	65	S47 same((fault or error or event))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:13
S49	0	S47 same((fault or error or event)near3 manag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:13
S50	54	S47 and((fault or error or event)near3 manag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:14
S51	1	S50 and((default adj4 ((error or event)near3 (polic\$4 or rule\$1 or database or response))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:20
S52	1	modify\$4 adj3((default adj4 ((error or event)near3 (polic\$4 or rule\$1 or database or response))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:26

S53	1	modify\$4 with((default adj4 ((error or event)near3 (polic\$4 or rule\$1 or database or response))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:27
S54	1	configur\$4 adj4((default adj4 ((error or event)near3 (polic\$4 or rule\$1 or database or response))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:28
S55	0	configurable with((default adj4 ((error or event)near3 (polic\$4 or rule\$1 or database or response))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:28
S56	0	configurable with((default adj4 ((error or event)near5 (polic\$4 or rule\$1 or database or response))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:29
S57	3083	configurable with((polic\$4 or rule\$1 or database or response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:38
S58	1217	configurable adj5((polic\$4 or rule\$1 or database or response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:29
S59	869	configurable adj3((polic\$4 or rule\$1 or database or response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:29
S60	224	S57 with (event or fault or error or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:30

S61	9	S57 same ((event or fault or error or failure)near3 manag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:31
S62	1063	configurable adj4 ((polic\$4 or rule\$1 or database or response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 12:38
S63	40	configurable adj4 ((event or fault)near2(polic\$4 or rule\$1 or database or response))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 13:02
S64	24815	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 13:02
S65	48845	"714"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 13:02
S66	566	S65 and ((configurable or upgrad\$4 or modif\$4)near3 (response or polic\$3 or database or knowledge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 13:04
S67	852	S64 and ((configurable or upgrad\$4 or modif\$4)near3 (response or polic\$3 or database or knowledge))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 13:04
S68	30	S66 and ((event or fault)near2 manag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 13:05

S69	35	S67 and ((event or fault)near2 manag\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 13:31
S70	400	(fault ot failure or error)near5 (resource near3 (consumption or allocation or usage or utilization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 13:33
S71	12	(fault ot failure or error)near5 ((resource near3 (consumption or allocation or usage or utilization)near3 (notification or indicat\$4 or detct\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 14:36
S72	0	configurable near3 (event near2 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 14:15
S73	69	(configurable or modifi\$4 or alter\$4 or upgrad\$4 or chang\$5 or adjust\$4) near3 (event near2 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 14:16
S74	0	S73 same (default near3 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 14:19
S75	24	S73 and (default near3 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 14:17
S76	0	S73 same ((predefined or default or predetermined) near3 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 14:19

S77	30	S73 and ((predefined or default or predetermined) near3 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 14:19
S78	137	((fault ot failure or error or event)near4 manag\$5)with hierarchical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 14:39
S79	2	((fault ot failure or error or event)near4 manag\$5)with (hierarchical near5 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:02
S80	0	("6715097").URPN.	USPAT	OR	ON	2005/05/03 14:41
S81	0	("6715097").URPN.	USPAT	OR	ON	2005/05/03 14:41
S82	61	("20020087687" "4750136" "4835674" "4942540" "5261044" "5303375" "5455932" "5504670" "5515403" "5544168" "5592620" "5638410" "5682530" "5726607" "5740357" "5742762" "5748882" "5751964" "5758071" "5768552" "5784627" "5838907" "5838918" "5845061" "5850399" "5892937" "5901136" "5903564" "5905715" "5905730" "5926463" "5930476" "5948108" "5953314" "5982652" "5991163" "5991297" "5995511" "5999179" "6000045" "6008805" "6008995" "6014715" "6015300" "6021116" "6021263" "6023763" "6033259" "6041109" "6041307" "6044540" "6049600" "6049827" "6054987" "6067545" "6078595" "6233610" "6308163" "6366945" "6427146" "6460070").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/05/03 14:42

S83	394	(default with ((respon\$4 or based or depend\$4)near4 (failure or fault or event)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:05
S84	23	S83 and (configurable near3 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:12
S85	20	S84 and ((user or operator)with (manual near2 overrid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:06
S86	20	S85 and (failure or fault)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:07
S87	443	(detect\$4 or recogniz\$4 or event) with (resource near3 (consumption or utilization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:14
S88	316	(detect\$4 or recogniz\$4 or event or fault or failure) near6 (resource near3 (consumption or utilization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:14
S89	324	(detect\$4 or recogniz\$4 or event or fault or failure or notification) near6 (resource near3 (consumption or utilization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:20
S90	0	S89 same ((configurable or alter\$4 or modif\$5 or augment\$5)near6 (default near2 policy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:17

S91	0	S89 and ((configurable or alter\$4 or modif\$5 or augment\$5)near6 (default near2 policy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:17
S92	0	S89 and ((configurable or alter\$4 or modif\$5 or augment\$5)same (default near2 policy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:17
S93	2	S89 and ((configurable or alter\$4 or modif\$5 or augment\$5)and (default near2 policy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:19
S94	529	((configurable or alter\$4 or modif\$5 or augment\$5)and (default near2 policy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:19
S95	42	((configurable or alter\$4 or modif\$5 or augment\$5)near5 (default near2 policy))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:28
S96	33	S95 and (event or fault or failure or notification)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 15:21
S97	1	"6321334".pn.	USPAT	OR	ON	2005/05/03 15:39
S98	0	((configur\$5 or upgrad\$4 or modifi\$3)near4 ((event or fault or error or messag\$3)with (recovery near3(police\$3 or database))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:24
S99	1	((configur\$5 or upgrad\$4 or modifi\$3)near4 (recovery near3(police\$3 or database)))with((event or fault or error or messag\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:25

S10 0	4	((configur\$5 or upgrad\$4 or modifi\$3 or chang\$4 or alter\$4)near4 (recovery near3(polic\$3 or database)))with((event or fault or error or messag\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:31
S10 1	92	((event or fault or failure or error or messag\$3)adj6 different)with default	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:29
S10 2	1	((event or fault or failure or error or messag\$3)adj6 different)with (default near3 respons\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:30
S10 3	12	S101 and ((configur\$5 or upgrad\$4 or modifi\$3 or chang\$4 or alter\$4)adj4(polic\$3 or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:31
S10 4	12	S101 and ((configur\$5 or upgrad\$4 or modifi\$3 or chang\$4 or alter\$4)adj4 (polic\$3 or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:58
S10 5	2	"6708291".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/03 16:58
S10 6	97	(configur\$5 or upgrad\$4 or modifi\$3)near3 (default adj3 (polic\$3 or database))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 09:08
S10 7	0	S106 same ((fault or event or failure)near3 respons\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:00

S108	22	S106 and ((fault or event or failure)near3 respons\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:11
S109	0	S106 and ((differen\$3 adj3 respons\$4)with default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:12
S110	2	(event or fault or failure or error)same ((differen\$3 adj3 respons\$4)with default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:27
S111	240	((event or fault or failure or error)with (resource or memory or storage))same ((modif\$5 or alter\$4 or chang\$4 or configur\$5 or updat\$4)with default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:30
S112	27	S106 and ((event or fault or failure or error)with (resource or memory or storage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:55
S113	0	S106 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:57
S114	21	S106 and ((event or fault or failure or error)with ((resource or memory or storage)near2 (usage or utiliz\$5 or availab\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:56
S115	21	S106 and ((event or fault or failure or error)with ((resource or memory or storage)near2 (usage or utiliz\$5 or availab\$5 or consum\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 07:57

S11 6	5405	((event or fault or failure or error)with ((resource or memory or storage)near2 (usage or utiliz\$5 or availab\$5 or consum\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:21
S11 7	26	S116 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:25
S11 8	990	(protect\$4 or fail\$safe or toleran\$3 or availabil\$4)same ((event or fault or failure or error)with ((resource or memory or storage)near2 (usage or utiliz\$5 or availab\$5 or consum\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:24
S11 9	263	(protect\$4 or fail\$safe or toleran\$3 or availabil\$4)near6 ((event or fault or failure or error)with ((resource or memory or storage)near2 (usage or utiliz\$5 or availab\$5 or consum\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:35
S12 0	1	S119 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:31
S12 1	8	S118 and S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:46
S12 2	0	S118 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:36
S12 3	0	S119 same (default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:32

S12 4	7	S118 same (default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:32
S12 5	3129	((event or fault or failure or error)near6 ((resource or memory or storage)near2 (usage or utiliz\$5 or availab\$5 or consum\$5)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:35
S12 6	487	S125 with (protect\$4 or fail\$safe or toleran\$3 or availabil\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:35
S12 7	0	S126 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:36
S12 8	1	S126 same default	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:37
S12 9	161	(dynamic\$4 near3 (manag\$4 or control\$4 or augment\$4 or adjust\$4 or modif\$5))with ((resouce or memory or storage)near3 (usage or utilization or availab\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:39
S13 0	161	(dynamic\$4 near3 (manag\$4 or control\$4 or augment\$4 or adjust\$4 or modif\$5))with ((resouce or memory or storage)near3 (sapce or usage or utilization or availab\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:45
S13 1	300	(dynamic\$4 near3 (manag\$4 or control\$4 or augment\$4 or adjust\$4 or modif\$5))with ((resouce or memory or storage)near3 (space or usage or utilization or availab\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:40

S13 2	0	S131 same((configur\$5 or upgrad\$4 or modifi\$3)near3 (default adj3 (polic\$3 or database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:41
S13 3	0	S131 and ((configur\$5 or upgrad\$4 or modifi\$3)near3 (default adj3 (polic\$3 or database)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:42
S13 4	1	S131 and ((configur\$5 or upgrad\$4 or modifi\$3)near3 (default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:43
S13 5	3	S131 same((default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:57
S13 6	344	(dynamic\$4 near3 (map\$4 or manag\$4 or control\$4 or augment\$4 or adjust\$4 or modif\$5))with ((resouce or memory or storage)near3 (space or usage or utilization or availab\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:45
S13 7	1	S118 and S136	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:46
S13 8	39	(configur\$5 or upgrad\$4 or modifi\$3)near3 (default adj3 (polic\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 08:50
S13 9	79	S131 and ((default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 09:06

S14 0	2	"5469573".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 09:07
S14 1	2	"5875478".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 09:08
S14 2	11	(fault near3 (protect\$4 or repair\$4 or handl\$4 or manag\$4))with ((default or knowledge)near4 (respons\$4 or based))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:11
S14 3	38	((event or fault) near3 (protect\$4 or repair\$4 or handl\$4 or manag\$4))with ((default or knowledge)near4 (respons\$4 or based))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:44
S14 4	3776	(configur\$5 or updat\$4 or upgrad\$4 or chang\$4 or modif\$5 or augment\$4 or adjust\$4)with ((default or knowledge)near4 (respons\$4 or based))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
S14 5	1183	(configur\$5 or updat\$4 or upgrad\$4 or chang\$4 or modif\$5 or augment\$4 or adjust\$4)with ((default or knowledge)near4 (respons\$4 or instruction or action))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 11:46
S14 6	5	S145 same ((fault or event) near3 (protect\$4 or repair\$4 or handl\$4 or manag\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:07
S14 7	50	S145 and (((resource or memory or storage or space) near3 (consumption or usage or utiliz\$5 or used or consum\$3 or fault or failure))with (notification\$1 or detect\$4 or identifi\$5 or recogni\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:11

S148	2	S145 and ((fault near3 (protect\$4 or repair\$4 or handl\$4 or manag\$4))same ((default or knowledge)near4 (respons\$4 or based)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 12:36
S149	239	(configurable near3 policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:29
S150	24	(configurable near3 policy)with (fault or failure or error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:31
S151	21	((configurable or alterable or chang\$4 or modified)near3 (default near3 (rule or policy)))with (fault or failure or error)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:33
S152	99	((configurable or alterable or chang\$4 or modified)near3 (default adj3 (rule or policy)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:33
S153	22	S152 and ((resource or memory or storage)near3 (consumption or utilization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:34
S154	22	S152 and ((resource or memory or storage)adj3 (consumption or utilization))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:34
S155	21	S154 and ((fault or error or failure)adj3 (manag\$5 or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:37

S15 6	0	S152 with ((fault or error or failure)adj3 (manag\$5 or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:37
S15 7	0	S152 same ((fault or error or failure)adj3 (manag\$5 or control\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:38
S15 8	0	S152 with (default adj3 (respons\$2 or action or instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:38
S15 9	0	S152 same (default adj3 (respons\$2 or action or instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:39
S16 0	0	S152 and (default adj3 (respons\$2 or action or instruction))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:53
S16 1	1	((configurable or alter\$4 or modifi\$4 or chang\$4 or updat\$4 or upgrad\$4)adj3 ((default near2 (polic\$3 or rule or database))adj5 (fault or error or failure or event))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 14:56
S16 2	27	((configurable or alter\$4 or modifi\$4 or chang\$4 or updat\$4 or upgrad\$4)adj3 (default near2 (polic\$3 or rule or database or strateg\$3)))with (fault or error or failure or event)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:10
S16 3	4	((configurable or alter\$4 or modifi\$4 or chang\$4 or updat\$4 or upgrad\$4)adj3 (default near2 (polic\$3 or rule or database or strateg\$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:08

S16 4	24	((configurable or alter\$4 or modifi\$4 or chang\$4 or updat\$4 or upgrad\$4)adj3 (default near2 (polic\$3 or rule or database or strateg\$3)))near6 (fault or error or failure or event)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:11
S16 5	0	((configurable or alter\$4 or modifi\$4 or chang\$4 or updat\$4 or upgrad\$4)adj3 (default near2 (polic\$3 or rule or database or strateg\$3)))near6 (fault or error or failure or event)	EPO; JPO; DERWENT	OR	ON	2005/05/04 15:11
S16 6	0	((configurable or alter\$4 or modifi\$4 or chang\$4 or updat\$4 or upgrad\$4)adj3 (default near2 (polic\$3 or rule or database or strateg\$3)))with (fault or error or failure or event)	EPO; JPO; DERWENT	OR	ON	2005/05/04 15:11
S16 7	0	((configurable or alter\$4 or modifi\$4 or chang\$4 or updat\$4 or upgrad\$4)adj3 (default near2 (polic\$3 or rule or database or strateg\$3)))same (fault or error or failure or event)	EPO; JPO; DERWENT	OR	ON	2005/05/04 15:11
S16 8	32	((configurable or alter\$4 or modifi\$4 or chang\$4 or updat\$4 or upgrad\$4)adj3 (default near2 (polic\$3 or rule or database or strateg\$3)))same (fault or error or failure or event)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:14
S16 9	2	((fault or failure or error)near4 (managment or control\$4 or administrat\$4))with ((configurable or programmable or upgrad\$4 or updat\$4 or alter\$4 or modifi\$4)near4(default near2 (polic\$3 or rul\$3 or strateg\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:19
S17 0	2	((fault or failure or error)near4 (managment or control\$4 or administrat\$4))with ((configurable or programmable or upgrad\$4 or updat\$4 or alter\$4 or modifi\$4)near4(default near2 (tabl\$1 or database or polic\$3 or rul\$3 or strateg\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/04 15:19
S17 1	103	(default or predefined)near6 ((respons\$2 or action\$1)with (fault\$1 or failur\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:44

S17 2	12	S171 and ((configur\$4 or alter\$4 or chang\$4 or adjust\$4 or modif\$5)same ((different or other or undefined)near3 (fault\$1 or failur\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:45
S17 3	12	S171 and ((configur\$4 or alter\$4 or chang\$4 or adjust\$4 or modif\$5 or creat\$4)same ((different or other or undefined)near3 (fault\$1 or failur\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 07:14
S17 4	2	S171 same ((management or manag\$)with (event or fault or failure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:46
S17 5	21	S171 and ((management or manag\$ or contol\$4)with ((event or fault or failure)near4 polic\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 07:23
S17 6	0	((management or manag\$ or contol\$4)near4 (default near2 polic\$3))with (event or fault or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 07:25
S17 7	1	((management or manag\$ or contol\$4)near4 (default near3 polic\$3))with (event or fault or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 07:25
S17 8	30	((default or predefined)near6 (respons\$2 or action\$1))with ((selected or predefined or predetermined or (user near2 (specified or defined)))near3(fault\$1 or failur\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 07:27
S17 9	25	((default or predefined)near3 (polic\$3 or rul\$2))with ((respons\$2 or action\$1 or instruction\$1)near6 (bug or fault\$1 or failur\$2 or error))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:46

S18 0	418	((default or predefined)near6 (respons\$2 or action\$1))with (bug\$1 or error or fault\$1 or failur\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:46
S18 1	20	S180 and ((configur\$4 or alter\$4 or chang\$4 or adjust\$4 or modif\$5)same ((different or other or undefined)near3 (fault\$1 or failur\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:47
S18 2	31	S180 and ((configur\$4 or alter\$4 or chang\$4 or adjust\$4 or modif\$5)same ((different or other or undefined)near3 (bug or error or fault\$1 or failur\$2)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:45
S18 3	14	S180 same ((management or manag\$)with (event or fault or failure or error or bug))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:57
S18 4	14	S180 same ((management or manag\$ or dignos\$4)with (event or fault or failure or error or bug))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 08:57
S18 5	1	"5596331".pn.	USPAT	OR	ON	2005/05/05 13:33
S18 6	4	"5596331".uref.	USPAT	OR	ON	2005/05/05 13:36
S18 7	15	"5594861".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 13:45
S18 8	28	"4727487".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:06
S18 9	24	((reconfigur\$4 or modif\$5)near4 ((default or predefined)adj3 (polic\$3 or rul\$2 or behavior\$3 or action\$1 or instruction\$1)))with (fault or error or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:12

S19 0	0	((updating)near4 ((default or predefined)adj3 (polic\$3 or rul\$2 or behavior\$3 or action\$1 or instruction\$1)))with (fault or error or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:13
S19 1	0	((modifying)near4 ((default or predefined)adj3 (polic\$3 or rul\$2 or behavior\$3 or action\$1 or instruction\$1)))with (fault or error or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:13
S19 2	0	((modifying)near4 ((default or predefined)adj3 (polic\$3 or rul\$2 or behavior\$3 or action\$1 or instruction\$1)))with (fault or error or failure)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:14
S19 3	0	((modifying)near4 ((default or predefined)adj3 (polic\$3 or rul\$2 or behavior\$3 or action\$1 or instruction\$1)))same (fault or error or failure)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:14
S19 4	0	((modifying)near4 ((default or predefined)adj3 (polic\$3 or rul\$2 or behavior\$3 or action\$1 or instruction\$1)))same (fault or error or failure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:20
S19 5	2	((fault or error or failure)near2 (handler or management))with ((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:20
S19 6	26491	"707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:23
S19 7	0	S196 and ((fault or error or failure)near2 (handler or management))same ((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:21

S198	32	S196 and ((fault or error or failure)near2 (handler or management))and ((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:22
S199	36062	"709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:21
S200	50	S199 and ((fault or error or failure)near2 (handler or management))and ((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:32
S201	48897	"714"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:36
S202	26	S201 and ((fault or error or failure)near2 (handler or management))and ((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:26
S203	0	S202 and (mask\$4 near3 (fault or error failure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:25
S204	642	S201 and (mask\$4 near3 (fault or error failure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:26
S205	0	S204 and ((fault or error or failure)near2 (handler or management))and ((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:25

S20 6	105	S199 and (mask\$4 near3 (fault or error failure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:26
S20 7	0	S206 and (((fault or error or failure)near2 (handler or management))and (((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:26
S20 8	50	S199 and (((fault or error or failure)near2 (handler or management))and (((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:33
S20 9	6	S199 and (((((fault or error or failure)near2 (handler or management))near3 hierarchical)and (((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:34
S21 0	2	S196 and (((((fault or error or failure)near2 (handler or management))near3 hierarchical)and (((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:36
S21 1	7	S201 and (((((fault or error or failure)near2 (handler or management))near3 hierarchical)and (((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:35
S21 2	24897	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:36
S21 3	4	S212 and (((((fault or error or failure)near2 (handler or management))near3 hierarchical)and (((configur\$4 or modif\$5 or ater\$4 or chang\$4 or updat\$4)near3 default))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:37

S21 4	0	(augment\$4 near6 default)near6 (definition near4 event)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/05 14:38
----------	---	---	---	----	----	------------------